



Mum Mix with Parboiled Rice Hulls

PRODUCT DESCRIPTION:

Mum Mix with Parboiled Rice Hulls is a pine based professional growing media designed for mums and large mixed containers. Coarse and fine Southern Pine Bark are used to provide proper particle size distribution promoting long term stability and structure. Long fiber blonde peat is used to maintain water retention throughout cropping time. Parboiled Rice Hulls are used as a sustainable and economical aggregate to aid in drainage and media porosity. Media is pH buffered with a combination of Dolomitic and Calcitic Lime to ensure proper Ca/Mg balance and provide both short term and long term pH buffering. Blue chip (38-0-0) is include to stabilize the organic matter in blends to prevent any nitrogen immobilization. Mum mix is manufactured at an optimum moisture content of 45-55% to increase the pot per cubic foot yield and positively impact soil structure. A fertility program is advised through liquid feed, top-dressed CRF or utilize incorporated CRF of which Midwest has two readily available options.

AVAILABLE IN:

2.8 CF Bags
60 CF Totes
Bulk

IDEAL USES:

>12" Containers
Half Gallon/Gallon
2-5 Gallons

INGREDIENT LIST:



- 1/2" & 3/8" Southern Pine Bark Fines
- Canadian Sphagnum Peat Moss
- Parboiled Rice Hulls
- Lime (Dolomitic and Hi-calcium)
- Phosphorus
- Starter Charge and Blue Chip

TECHNICAL DATA:

| | |
|-------------------------------|--------------------------|
| Air Porosity | 20-28% |
| Water Holding Capacity | 45-55% |
| Manufactured Moisture Content | 45-55% |
| Dry Bulk Density | 8-10 lb/ft ³ |
| Bulk Density | 18-22 lb/ft ³ |

pH and EC:

| | |
|---------------------------|--------------|
| pH Range After Incubation | 5.4-6.3 |
| Electrical Conductivity | 1.0-2.0 dS/m |



*Bulk Density @ Saturation as determined by ASTM E2399 Maximum medium density for dead load analysis of vegetative roof system.
Disclaimer: Physical and nutrient ranges are approximated based on historic laboratory analysis. For informational purposes only and cannot be used as a warranty.